EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(@ad<"19990702" or @rlad<"19990702")and random$4 near15 (select$4 or provid$4 or serv$4) near10 bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:46
L2	2	(@ad<"19990702" or @rlad<"19990702")and random$4 same (select$4 or provid$4 or serv$4) near10 bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:47
L3	103563	(@ad<"19990702" or @rlad<"19990702")and random$4 same (select$4 or provid$4 or serv$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:47
L4	48632	(@ad<"19990702" or @rlad<"19990702")and random$4 near10 (select$4 or provid$4 or serv$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:48
L5	2389	(@ad<"19990702" or @rlad<"19990702")and random$4 near10 (select$4 or provid$4 or serv$4) near10 display$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:48
L6	174	(@ad<"19990702" or @rlad<"19990702")and random$4 near10 (select$4 or provid$4 or serv$4) near10 display$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:49
L7	75	(@ad<"19990702" or @rlad<"19990702")and random$4 near3 (select$4 or provid$4 or serv$4) near10 display$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:49

L8	62	(@ad<"19990702" or @rlad<"19990702")and random$4 near2 (select$4 or provid$4 or serv$4) near10 display$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:53
L9	0	(@ad<"19990702" or @rlad<"19990702")and storage near2 system near10 random$4 near2 (select$4 or provid$4 or serv$4) near10 display$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:50
L10	2	(@ad<"19990702" or @rlad<"19990702")and advantage$1 near20 random$4 near2 (select$4 or provid$4 or serv$4) near10 display$3 near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:51
L11	0	(@ad<"19990702" or @rlad<"19990702")and random$4 near2 (select$4 or provid$4 or serv$4) near10 match$3 near3 (result$1 or hit$1) near5 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:54
L12	9	(@ad<"19990702" or @rlad<"19990702")and random$4 near2 (select$4 or provid$4 or serv$4) near10 match$3 near3 (result$1 or hit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:55
L13	11	(@ad<"19990702" or @rlad<"19990702")and random$4 near5 (select$4 or provid$4 or serv$4) near10 match$3 near3 (result$1 or hit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:55
L14	1284	(@ad<"19990702" or @rlad<"19990702")and random$4 near5 (select$4 or provid$4 or serv$4) near10 (result$1 or hit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:00

L15	45	(@ad<"19990702" or @rlad<"19990702")and random$4 near5 (select$4 or provid$4 or serv$4) near10 (result$1 or hit$1) near10 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:56
L16	27	(@ad<"19990702" or @rlad<"19990702")and random$4 near2(select$4 or provid$4 or serv$4) near10 (result$1 or hit$1) near10 (client or browser or user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 14:56
L17	1144	(@ad<"19990702" or @rlad<"19990702")and random$4 near5 select$4 near10 (result$1 or hit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:00
L18	27	(@ad<"19990702" or @rlad<"19990702")and random$4 near3 select$4 near10 (result$1 or hit$1) near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:02
L19	1018	(@ad<"19990702" or @rlad<"19990702")and random$4 near3 select$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:02
L20	688	(@ad<"19990702" or @rlad<"19990702")and random$4 near select$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:03
L21	107	(@ad<"19990702" or @rlad<"19990702")and random$4 near select$4 near10 (client or user or browser).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04

L22	0	(@ad<"19990702" or @rlad<"19990702")and search near engine near15 random$4 near select$4 near10 (client or user or browser).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L23	0	(@ad<"19990702" or @rlad<"19990702")and search near engine near15 random$4 near select$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L24	2049	(@ad<"19990702" or @rlad<"19990702")and servernear5 random$4 near select$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L25	14	(@ad<"19990702" or @rlad<"19990702")and server near5 random$4 near select$4 near10 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:04
L26	7	(@ad<"19990702" or @rlad<"19990702")and server near5 random$4 near·select$4 near10 (client or user or browser). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:06
L27	1	(@ad<"19990702" or @rlad<"19990702")and server near5 random$4 near select$4 near10 (result$1 or hit$1) near15 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:06
L28	19	(@ad<"19990702" or @rlad<"19990702")and random$4 near select$4 near10 (result$1 or hit$1) near15 (client or user or browser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:08

EAST Search History

L29	3	(@ad<"19990702" or @rlad<"19990702")and search near2 engine and random$4 near select$4 near10 (result$1 or hit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 15:09
S32	2	"6625268".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:26
S33	7	(@ad<"19990702" or @rlad<"19990702")and request$4 near10 metadata$1 near15 (url$1 or bookmark$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:28
S34	7	(@ad<"19990702" or @rlad<"19990702")and request$4 near10 metadata$1 near15 (url$1 or bookmark$1) and (location$1 or geographic$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:36
S35	317	(@ad<"19990702" or @rlad<"19990702")and location$1 near15 bookmark$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:37
S36	318	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 bookmark$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:37
S37	50	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 bookmark$4 and bookmark$1 and request$4 near15 bookmark$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:44

S38	3	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 bookmark$4 and bookmark$1 and request$4 near15 (descipt$5 or context$1 or metadata$1) near10 bookmark$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:55
S39	0	(@ad<"19990702" or @rlad<"19990702")and current near5 (position$1 or location$1 or geographic$4) near15 bookmark$4 and bookmark$1 and (descipt$5 or context$1 or metadata$1) near10 bookmark$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:56
S40	0	(@ad<"19990702" or @rlad<"19990702")and current near5 (position$1 or location$1 or geographic$4) near15 bookmark$4 and bookmark$1 and (attribut$4 or descipt$5 or context$1 or metadata$1) near10 bookmark$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 15:56
S41	58	(@ad<"19990702" or @rlad<"19990702")and current near5 (position$1 or location$1 or geographic$4) near15 bookmark$4 and bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:03
S42	9	(@ad<"19990702" or @rlad<"19990702")and updat$4 near10 bookmark$4 near15 (position$1 or location$1 or geographic$4) and bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:10
S43	434	(@ad<"19990702" or @rlad<"19990702")and bookmark$4 near15 (position$1 or location$1 or geographic$4) and bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:10
S44	18	(@ad<"19990702" or @rlad<"19990702")and bookmark$4 near15 (position$1 or location$1 or geographic$4) and bookmark$1 and home near2 address$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:15

EAST Search History

S45	309	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:16
S46	371	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 URL$1 and bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:52
S47	0	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 URL$1 and bookmark$1 and storing near10 bookmark$1 same geographic$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 10:46
S48	0	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 URL$1 and bookmark$1 and storing near10 URL$1 same geographic$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 16:54
S49	1	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) near15 attribut$4 near15 bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 17:56
S50	27	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) and attribut$4 near15 bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:17
S51	1	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) and attribut$4 near15 bookmark$1 and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:17

EAST Search History

S52	1	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) and attribut$4 near15 bookmark$1 and (wireless or mobile or portalbe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:18
S53	18	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) and bookmark$1 near2 service$1 and (wireless or mobile or portalbe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:18
S54	18	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) and bookmark$1 near2 service$1 and (wireless or mobile or portalbe) and bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:20
S55	23	(@ad<"19990702" or @rlad<"19990702")and (location$1 or geographic$4) and bookmark$1 near2 (service$1 or server$1) and (wireless or mobile or portalbe) and bookmark$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/05 18:20